Ref #	Hits	Search Query	DBs	Default Operat or	Plura Is	Time Stamp
LI	194110	(382/128,129,130,131, 132,133,138).CCLS. or (("435") or ("436")).CLAS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/06/09 13:06
L2	1	1 and ((level\$3 near4 confidenc\$4) near3 (signal\$3 near4 output\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:39
Li3	1	1 and ((level\$3 near4 confidenc\$4) same (signal\$3 near4 output\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 13:07
L4	104	1 and ((level\$3 near4 confidenc\$4) and (signal\$3 near4 output\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 13:07

L5	100	4 and (processor\$4 or microprocessor\$3 or computer\$3 or PC)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 13:21
L7	81	5 and (memory or storage)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 13:19
L8	63	7 and array\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 13:09
L9	24	8 and (grid\$4 or subgrid\$3 or sub-grid\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 13:20
L10	29	((level\$3 near4 confidenc\$4) near3 (signal\$3 near4 output\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 13:19

L11	22	10 and (processor\$4 or microprocessor\$3 or computer\$3 or PC)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:39
L12	16	11 and (memory or storage)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:35
L13	3	12 and (grid\$4 or subgrid\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 13:22
L14	9	1 and ((level\$3 near4 confidenc\$4) near3 (signal\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 13:23
L15	9	14 and (processor\$4 or microprocessor\$3 or computer\$3 or PC)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 13:27

L16	6	15 and (memory or storage)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 13:41
L17	4	16 and (grid\$4 or subgrid\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 13:41
L18	11	1 and ((level\$3 near4 confidenc\$4) near3 (signal\$3 or noise))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 13:40
L19	220	(storage or memory) and ((level\$3 near4 confidenc\$4) near3 (signal\$3 or noise))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 13:27
L20	203	19 and (processor\$4 or microprocessor\$3 or computer\$3 or PC)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 13:40

L21	6	1 and 20	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 13:28
L22	30	20 and (grid\$4 or subgrid\$3 or sub-grid\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 13:54
L23	135	1 and ((level\$3 near4 confidenc\$4) same (signal\$3 or noise))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 13:53
L24	104	23 and (processor\$4 or microprocessor\$3 or computer\$3 or PC)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 13:53
L25	72	24 and (memory or storage)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 13:54

L26	21	25 and (grid\$4 or subgrid\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 13:53
L27	191225	(382/129).CCLS. or (("435") or ("436")).CLAS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/06/09 14:02
L28	126	27 and ((level\$3 near4 confidenc\$4) same (signal\$3 or noise))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:00
L29	95	28 and (processor\$4 or microprocessor\$3 or computer\$3 or PC)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:01
L30	66	29 and (memory or storage)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:01

L31	20	30 and (grid\$4 or subgrid\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:07
L32	17	27 and ((level\$3 near4 confidenc\$4) near6 (signal\$3 or noise))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:02
L33	15	32 and (processor\$4 or microprocessor\$3 or computer\$3 or PC)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:05
L34	9	33 and (memory or storage)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:05
L35	281470	(382/129).CCLS. or (("435") or ("436") or ("422")).CLAS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/06/09 14:02

L36	17	35 and ((level\$3 near4 confidenc\$4) near6 (signal\$3 or noise))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:05
L37	9	36 and (memory or storage)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:06
L38	9	37 and (processor\$4 or microprocessor\$3 or computer\$3 or PC)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:06
L39	25	35 and ((level\$3 near4 confidenc\$4) near10 (signal\$3 or noise))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:06
L40	21	39 and (processor\$4 or microprocessor\$3 or computer\$3 or PC)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:07

L41	12	40 and (memory or storage)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:07
L42	128	35 and ((level\$3 near4 confidenc\$4) same (signal\$3 or noise))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:40
L43	97	42 and (processor\$4 or microprocessor\$3 or computer\$3 or PC)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:07
L44	67	43 and (memory or storage)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:39
L45	20	44 and (grid\$4 or subgrid\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:07

L46	318	nandabalan	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:39
L47	224	46 and (memory or storage)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:39
L48	222	47 and (processor\$4 or microprocessor\$3 or computer\$3 or PC)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:39
L49	0	48 and ((level\$3 near4 confidenc\$4) same (signal\$3 near4 output\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:47
L50	5	48 and (level\$3 near4 confidenc\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR ·	ON	2005/06/09 14:40

L51		49 and (signal\$3 or noise) and output\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:41
L52	O	49 and (signal\$3 or noise)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:41
L53	5	50 and (signal\$3 or noise) and output\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:23
L54	0	46 and ((level\$3 near4 confidenc\$4) same (signal\$3 near4 output\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 14:47
L55	5	53 and measur\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:23

L56	5	55 and spot\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:24
L57	5	56 and compar\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:24
L58	0	57 and elliptic\$5	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:24
L59	0	57 and ellipticity\$5	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:25
L60	5	57 and circl\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:25

L61	5	60 and row\$2	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:26
L62	5	61 and column\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:26
L63	0	62 and sub-grid	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:27
L64	5	62 and grid\$2	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:27
L65	5	64 and deviation\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:27

1.00		CE and do not	LIC BODI	00	01:	2005/06/02
L66	5	65 and degree	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:28
L67	5	66 and contaminat\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:29
L68		67 and alignment	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:29
L69	2	68 and distanc\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:32
L70	2	69 and intensit\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:32

L71	2	70 and measurement	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR .	ON	2005/06/09 15:37
L72	0	71 and missing	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:33
L73	0	71 and pixel\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:33
L74	2	71 and parallel	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:39
L75	2	74 and respectiv\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:41

L76	2	75 and calculat\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:41
L77	2	76 and (computation or computed)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 15:42
L78	2	76 and (computation or computed or computed)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:50
L79	2	("5720928").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/06/09 17:09
L80	1	79 and circl\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:10

L81	1	80 and (orientation or orient\$4 or rotat\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:11
L82	0	81 and ellipticit\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:11
L83		81 and elliptici\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:12
L84	1	81 and ellipt\$7	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:12
L85	1	84 and compar\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:13

L86	1	85 and contaminat\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:14
L87	0	86 and geometr\$7	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:14
L88	1	86 and missing	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:26
L89	1	88 and intensit\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:34
L90	1	89 and (standard\$4 near4 variat\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:35

L91	1	90 and (standard\$4 near4 deviat\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:35
L92	0	91 and (center near4 locat\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:36
L93	0	91 and (center same locat\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:36
L94	1	91 and (pixel\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:37
L95	1	94 and (center or centre)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:37

L96	1	95 and background	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:38
L97	1	96 and variat\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:48
L98	1	97 and spot\$5	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:49
L99	O	98 and geometr\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:49
L10 0	1	98 and (computation or computed or computed)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/09 17:50